

Heading #03

1 Single Door #102 Reception 100 to Offices 102 HA3 90° LH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME N SCL LH
 Frame: SU 18 CRS 814 SGL 3070 T3 LH (45R; A01_MSZ1-; PREP_MUTES; S)
 Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H001	3 Hinges	5BB1 4 1/2 x 4 1/2	IV
L009	1 Lockset	ND53B SPA BRN Core	SC
A006	1 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S002	1 Dome Stop	FS436	IV
M005	3 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVFS436_FS438_PROD, IVFS436_FS438_SPEC, IVSR64_SPEC

Heading #04

1 Single Door #103 Offices 102 to Office 103 HA4 RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME N SCL RH
 Frame: SU 18 CRS 578 SGL 3070 T3 RH (45R; A01_MSZ1-; PREP_MUTES; S)
 Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H001	3 Hinges	5BB1 4 1/2 x 4 1/2	IV
L009	1 Lockset	ND53B SPA BRN Core	SC
A006	1 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S002	1 Dome Stop	FS436	IV
M005	3 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVFS436_FS438_PROD, IVFS436_FS438_SPEC, IVSR64_SPEC

Heading #05

1 Single Door #104 Hallway 101 to Activity 104 HA5 RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL RH
 Frame: Elevation F8-RH-

1 Single Door #105 Hallway 101 to Activity 105 HA5 LH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL LH
 Frame: Elevation F8-LH-

1 Single Door #106 Hallway 101 to Activity 106 HA5 LH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL LH
 Frame: Elevation F8-LH-

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HMF

H001	9 Hinges	5BB1 4 1/2 x 4 1/2	IV
L010	3 Lockset	ND70B SPA BRN Core	SC
A006	3 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S005	3 Door Stop w/ Keeper	473	RO
M005	9 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVSR64_SPEC

Heading #06

1 Single Door #**118B** Vestibule 118 from Pool 120 LHR
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL LHR
 Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD

H002	3 Hinges	5BB1 HW 4 1/2 x 4 1/2	IV
F002	1 Push Plate	8200 4 x 16	IV
F003	1 Pull Plate	8303-0 4 x 16	IV
C004	1 Closer	1450 RWPA TBWMS	LC
F004	1 Protection Plate	8400 8" X 34" B-CS	IV
S001	1 Wall Stop	WS406/407CCV	IV
M005	3 Door Silencer	SR64	IV

Images: IV5BB1HW_SPEC, IV8200_8300_SPEC, IV8303_PROD, IV8303_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_HINGE_PULL_SIDE_DIMS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PAR_ARM_PUSH_SIDE_DIMS, LC1450_SERIES_PROD, LC1450_SERIES_RWPA_PART

Heading #06-1

1 Single Door #**107** Vending 109 to Men 107 RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH
 Frame: SU 18 CRS 578 SGL 3070 T3 RH (45H; A01_MSZ1-; H1; P; PREP_MUTES)

1 Single Door #**108** Vending 109 to Women 108 LH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL LH
 Frame: SU 18 CRS 578 SGL 3070 T3 LH (45H; A01_MSZ1-; H1; P; PREP_MUTES)

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H002	6 Hinges	5BB1 HW 4 1/2 x 4 1/2	IV
F002	2 Push Plate	8200 4 x 16	IV
F003	2 Pull Plate	8303-0 4 x 16	IV
C004	2 Closer	1450 RWPA TBWMS	LC
F004	2 Protection Plate	8400 8" X 34" B-CS	IV
S001	2 Wall Stop	WS406/407CCV	IV
M005	6 Door Silencer	SR64	IV

Images: IV5BB1HW_SPEC, IV8200_8300_SPEC, IV8303_PROD, IV8303_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_HINGE_PULL_SIDE_DIMS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PAR_ARM_PUSH_SIDE_DIMS, LC1450_SERIES_PROD, LC1450_SERIES_RWPA_PART

Heading #06-2

1 Single Door #118A Living/Library 112 from HA5 LHR
Vestibule 118

Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL LHR

Frame: SU 18 CRS 814 SGL 3070 T3 RH (45H; A01_MSZ1-; H1; P; PREP_MUTES)

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H002	3 Hinges	5BB1 HW 4 1/2 x 4 1/2	IV
L013	1 Deadlock	B663B BRN Core	SC
A006	1 Permanent Core	80-037	SC
Note: Everest #E16954/Structure#KS34068			
F002	1 Push Plate	8200 4 x 16	IV
F003	1 Pull Plate	8303-0 4 x 16	IV
C004	1 Closer	1450 RWPA TBWMS	LC
F004	1 Protection Plate	8400 8" X 34" B-CS	IV
S001	1 Wall Stop	WS406/407CCV	IV
M005	3 Door Silencer	SR64	IV

Images: IV5BB1HW_SPEC, IV8200_8300_SPEC, IV8303_PROD, IV8303_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_HINGE_PULL_SIDE_DIMS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PAR_ARM_PUSH_SIDE_DIMS, LC1450_SERIES_PROD, LC1450_SERIES_RWPA_PART

Heading #07

1 Single Door #109 Exterior from Vending 109 HA1 RHR

Door: HMD LP 16 A60 3878 V SEM 1 3/4 RHR (C1; D1; HUL_60; PR3; RH1; STC; TYPE 2_V; U06_H)

Frame: SU 16 A60 578 SGL 3878 T3 LH (A23_WS-; H1; HUL/60; NHP_CH; R)

Opening Description: 3' 8" x 7' 8" x 1 3/4" x HM x HM

H003	1 Continuous Hinge	112XY 95" CUSTOM CUT	LH	IV
Properties: Custom Length=92				
E001	1 Exit Device	HH 98NL x 990NL-R&V 425-SNB (QTY-2) 48"	RHR	VO
A005	1 Rim Cylinder Housing	80-129 BRN Core		SC
A006	1 Permanent Core	80-037		SC
Note: Everest #E16954/Structure#KS34068				
C003	1 Closer	4050A SCUSH TBWMS		LC
F005	1 Protection Plate	8400 8" x 42" B-CS		IV
W002	1 Door Seal	188S-BK 20'		ZE
W003	1 Door Sweep	39A 44"		ZE
W004	1 Threshold	65A 44" 223-MSLA-10		ZE

Note: Hurricane rated up to +/-60psf design pressure (ASD)

Images: IV112XY_OPTIONS, IV112XY_PROD, IV112XY_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, LC4050A_CUSH_DIMS, LC4050A_SERIES_FEATS, LC4050A_SERIES_OPTIONS, LC4050A_SERIES_PROD, LC4050A_SERIES_SCUSH_PART, VO425_OPTION, VO98_99_FEATS, VO98_99_GEN_HOWTOORDER, VO98_99_GEN_NL_FUNCT, VO98_99_PROD, VO98_99_SPEC, VOHH_OPTION, ZE65_THRESHOLD, ZEPERIMETER_SEAL_39, ZEWEATHERSTRIP_SELFADHESIVE_188S_188FS_188BIO

Heading #08

- 1 Single Door #110 Vending 109 to Storage 110 HA6 RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH
 Frame: SU 18 CRS 578 SGL 3070 T3 RH (45R; A01_MSZ1-; PREP_MUTES; S)
- 1 Single Door #119A Vestibule 118 to Utility 119A HA6 RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH
 Frame: SU 18 CRS 578 SGL 3070 T3 RH (45R; A01_MSZ1-; PREP_MUTES; S)
 Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H001	6 Hinges	5BB1 4 1/2 x 4 1/2	IV
L011	2 Lockset	ND80B SPA BRN Core	SC
A006	2 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S001	2 Wall Stop	WS406/407CCV	IV
M005	6 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC

Heading #08.1

- 1 Single Door #119B Vestibule 118 from Chem Stor 119B HA6 RHR
 Door: 2670 WD 1 3/4 SCL5 PSWO PFST ME F SCL RHR
 Frame: SU 18 CRS 578 SGL 2670 T3 LH (45R; A01_MSZ1-; C2; PREP_MUTES; S)
 Opening Description: 2' 6" x 7' 0" x 1 3/4 x WD x HM

H005	3 Hinges	5BB1 4 1/2 x 4 1/2 NRP	IV
L011	1 Lockset	ND80B SPA BRN Core	SC
A006	1 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S003	1 Overhead Stop	903S	GL
M005	3 Door Silencer	SR64	IV

Images: GL90_SERIES_DIMS, GL90_SERIES_HOWTOORDER, GL90_SERIES_PROD, GL90_SERIES_SPEC, GL90_SERIES_SPEC_2, IV5BB1_SPEC, IVSR64_SPEC

Heading #08-1

- 1 Single Door #133 Exercise 132 to Storage 133 HA6 RH
 Door: 4070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH
 Frame: SU 18 CRS 578 SGL 4070 T3 RH (45R; A01_MSZ1-; PREP_MUTES; S)
 Opening Description: 4' 0" x 7' 0" x 1 3/4 x WD x HM

H001	3 Hinges	5BB1 4 1/2 x 4 1/2	IV
L011	1 Lockset	ND80B SPA BRN Core	SC
A006	1 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
S001	1 Wall Stop	WS406/407CCV	IV
M005	3 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC

Heading #09

- 1 Single Door #111A Vending 109 to Catering 111 HA7 90° RH
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH
 Frame: SU 18 CRS 814 SGL 3070 T3 RH (45R; A01_MSZ1-; C2; H1; PREP_MUTES; S)
 - 1 Single Door #111B Group Fitness 113 to HA7 90° LH
 Catering 111
 Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL LH
 Frame: SU 18 CRS 578 SGL 3070 T3 LH (45R; A01_MSZ1-; C2; H1; PREP_MUTES; S)
- Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H001	6 Hinges	5BB1 4 1/2 x 4 1/2	IV
L010	2 Lockset	ND70B SPA BRN Core	SC
A006	2 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
C004	2 Closer	1450 RWPA TBWMS	LC
S006	2 Overhead Door Holder	904H	GL
F004	2 Protection Plate	8400 8" X 34" B-CS	IV
M005	6 Door Silencer	SR64	IV

Note: Note to owner: Separate "regular" arm closer and OH stop is used due to doors swinging into the room. Closers with holder/stop arms must be mounted on the push side of door which puts the closer outside the room.

Images: GL90_SERIES_DIMS, GL90_SERIES_SPEC, IV5BB1_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_HINGE_PULL_SIDE_DIMS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PAR_ARM_PUSH_SIDE_DIMS, LC1450_SERIES_PROD, LC1450_SERIES_RWPA_PART

Heading #11

- 1 Pair Doors #113A Living/Library 112 from
Group Fitness 113 HA5 RHRA
 Door: Pair 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL RHRA
 Frame: Elevation F10-
- 1 Pair Doors #113B Living/Library 112 from
Group Fitness 113 HA5 RHRA
 Door: Pair 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL RHRA
 Frame: Elevation F10-
- 1 Pair Doors #132 Hallway 101 from Exercise
132 HA5 RHRA
 Door: Pair 3070 WD 1 3/4 SCL5 PSWO PFST ME FG2 SCL RHRA
 Frame: Elevation F9-
 Opening Description: 2 - 3' 0" x 7' 0" x 1 3/4 x WD x HMF

H005	18 Hinges	5BB1 4 1/2 x 4 1/2 NRP		IV
M006	3 Flush Bolt	FB41T		IV
L008	3 Mortise Lockset	LM9270B 17A BRN Core LBL	RHR	SC
A006	3 Permanent Core	80-037		SC
	Note: Everest #E16954/Structure#KS34068			
M009	3 Door Coordinator	COR52 2-MB2 SP28 FL20		IV
C008	6 Closer	1450 SHCUSH TBWMS		LC
F004	6 Protection Plate	8400 8" X 34" B-CS		IV
M005	6 Door Silencer	SR64		IV

Images: IV5BB1_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVCOR_DIMS, IVCOR_OPTIONS, IVCOR_PROD, IVCOR_SPEC, IVFB41P_FB41T_FB41B_DIMS, IVFB41P_FB41T_FB41B_OPTIONS, IVFB41P_FB41T_FB41B_PROD, IVFB41P_FB41T_FB41B_SPEC, IVSR64_SPEC

Heading #12

- 1 Pair Doors #114 Group Fitness 113 from
Storage 114 HA6 RHRA
 Door: Pair 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RHRA
 Frame: SU 18 CRS 578 DBL 6070 V2 RHRA (45R; A01_MSZ1-; C2; PREP_MUTES; RFB)
 Opening Description: 2 - 3' 0" x 7' 0" x 1 3/4 x WD x HM

H005	6 Hinges	5BB1 4 1/2 x 4 1/2 NRP		IV
M008	1 Flush Bolt	FB458 12"		IV
L011	1 Lockset	ND80B SPA BRN Core		SC
A006	1 Permanent Core	80-037		SC
	Note: Everest #E16954/Structure#KS34068			
C008	2 Closer	1450 SHCUSH TBWMS		LC
S001	2 Wall Stop	WS406/407CCV		IV
M005	2 Door Silencer	SR64		IV

Images: IV5BB1_SPEC, IVFB458_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC

Heading #13

1 Single Door #115 Living/Library 112 from HA8 LHR
Elec/IT 115

Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL LHR

Frame: SU 18 CRS 814 SGL 3070 T3 RH (45R; A01_MSZ1-; H1; PREP_MUTES; R)

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H005	3 Hinges	5BB1 4 1/2 x 4 1/2 NRP		IV
E002	1 Exit Device	98NL x 990NL-R&V	LHR	VO
A005	1 Rim Cylinder Housing	80-129 BRN Core		SC
A006	1 Permanent Core	80-037		SC
Note: Everest #E16954/Structure#KS34068				
C005	1 Closer	1450 SCUSH TBWMS		LC
F004	1 Protection Plate	8400 8" X 34" B-CS		IV
M005	3 Door Silencer	SR64		IV

Images: IV5BB1_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PROD, VO98_99_FEATS, VO98_99_GEN_HOWTOORDER, VO98_99_GEN_NL_FUNCT, VO98_99_PROD, VO98_99_SPEC

Heading #14

1 Single Door #116 Exterior from Riser Rm 116 HA8 LHR

Door: HMD LP 16 A60 3070 F SEM 1 3/4 LHR (C1; HUL_60; LM2; RH1; STC; U06_H)

Frame: SU 16 A60 578 SGL 3070 T3 RH (A23_WS-; H1; HUL/60; NHP_CH; S)

Opening Description: 3' 0" x 7' 0" x 1 3/4" x HM x HM

H006	1 Continuous Hinge	112XY 83"		IV
L012	1 Mortise Storeroom Lockset	L9080B 17A BRN Core	LHR	SC
A006	1 Permanent Core	80-037		SC
Note: Everest #E16954/Structure#KS34068				
C003	1 Closer	4050A SCUSH TBWMS		LC
F004	1 Protection Plate	8400 8" X 34" B-CS		IV
W005	1 Door Seal	188S-BK 17'		ZE
W006	1 Door Sweep	39A 36"		ZE
W007	1 Threshold	65A 36" 223-MSLA-10		ZE

Note: Hurricane rated up to +/-60psf design pressure (ASD). Confirm L9080T (full size construction core) is the corrected model for this exterior door. The specified L9080P is a non-removable conventional core lock.

Images: IV112XY_OPTIONS, IV112XY_PROD, IV112XY_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, LC4050A_CUSH_DIMS, LC4050A_SERIES_FEATS, LC4050A_SERIES_OPTIONS, LC4050A_SERIES_PROD, LC4050A_SERIES_SCUSH_PART, ZE65_THRESHOLD, ZEPERIMETER_SEAL_39, ZEWEATHERSTRIP_SELFADHESIVE_188S_188FS_188BIO

Heading #15

1 Single Door #117 Pool 120 from Pool Equip HA6 RHR
117

Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RHR

Frame: SU 18 CRS 814 SGL 3070 T3 LH (45R; A01_MSZ1-; PREP_MUTES)

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H005	3 Hinges	5BB1 4 1/2 x 4 1/2 NRP	IV
L011	1 Lockset	ND80B SPA BRN Core	SC
A006	1 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
C008	1 Closer	1450 SHCUSH TBWMS	LC
M005	3 Door Silencer	SR64	IV

Images: IV5BB1_SPEC, IVSR64_SPEC

Heading #16

1 Single Door #125 Hallway 131 to Vestibule HA5 RH
125

Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH

Frame: SU 18 CRS 578 SGL 3070 T3 RH (45H; A01_MSZ1-; H1; P; P1; PREP_MUTES)

1 Single Door #130 Hallway 131 to Vestibule HA5 RH
130

Door: 3070 WD 1 3/4 SCL5 PSWO PFST ME F SCL RH

Frame: SU 18 CRS 814 SGL 3070 T3 RH (45H; A01_MSZ1-; H1; P; P1; PREP_MUTES)

Opening Description: 3' 0" x 7' 0" x 1 3/4 x WD x HM

H002	6 Hinges	5BB1 HW 4 1/2 x 4 1/2	IV
L013	2 Deadlock	B663B BRN Core	SC
A006	2 Permanent Core	80-037	SC
	Note: Everest #E16954/Structure#KS34068		
F002	2 Push Plate	8200 4 x 16	IV
F003	2 Pull Plate	8303-0 4 x 16	IV
C004	2 Closer	1450 RWPA TBWMS	LC
F004	2 Protection Plate	8400 8" X 34" B-CS	IV
S001	2 Wall Stop	WS406/407CCV	IV
M005	6 Door Silencer	SR64	IV

Images: IV5BB1HW_SPEC, IV8200_8300_SPEC, IV8303_PROD, IV8303_SPEC, IV8400_8402_OPTIONS, IV8400_8402_PROD, IV8400_8402_SPEC, IVSR64_SPEC, IVWS406_WS407CVX_WS407CCV_PROD, IVWS406_WS407CVX_WS407CCV_SPEC, LC1450_SERIES_FEATS, LC1450_SERIES_HINGE_PULL_SIDE_DIMS, LC1450_SERIES_OPTIONS, LC1450_SERIES_PAR_ARM_PUSH_SIDE_DIMS, LC1450_SERIES_PROD, LC1450_SERIES_RWPA_PART