

Hardware Schedule

Heading #01 (Set #01)

1 Pair Doors #D01

Entry Porch 101 from Drop-
Off Entry 102

90° RHRA

Opening Description: 2 - 3' 0" x 7' 0" WD x WF

6 Hinges	5BB1 4 1/2 x 4 1/2 NRP	619	IV
1 Exit Device	MEL RX 25-C-L-NL x 510L LAT CON	RHR US15	FL
1 Exit Device	MEL RX 25-C-L-DT x 510L LAT CON	LHR US15	FL
1 Mortise Cylinder Housing	C987 -6 CCA	619	FL
1 Cylinder Core	C606	626	FL
2 Door Closer	SC81A DS Full Cover	689	FL
Note: Mount Closer on Push Side of Door			
2 Electric Power Transfer	EPT 10 CON	SP28	VO
2 Weatherstrip	139A 84"		ZE
1 Weatherstrip	139A 1 x 72" 2 x 84"		ZE
2 Door Sweep	39A 36"		ZE
1 Threshold	8655A 72" 223-MSLA-10 V3		ZE

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.

Confirm 1-3/4" Door Thickness

Closer mounting plate required if top rail is less than 4-3/8". Please Advise

Heading #01B (Set #01B)

1 Pair Doors #D08

Porch Lanai 001 from Multi-
Purpose 002

90° RHRA

Opening Description: 2 - 3' 0" x 7' 0" WD x WF

6 Hinges	5BB1 4 1/2 x 4 1/2 NRP	619	IV
2 Flush Bolt	FB458	US15	IV
1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
2 Door Closer	SC81A DS Full Cover	689	FL
Note: Mount Closer on Push Side of Door			
1 Weatherstrip	139A 84"		ZE
1 Weatherstrip	139A 1 x 72" 2 x 84"		ZE
2 Door Sweep	39A 36"		ZE
1 Threshold	8655A 72" 223-MSLA-10 V3		ZE

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.

Confirm 1-3/4" Door Thickness

Closer mounting plate required if top rail is less than 4-3/8". Please Advise

Exit Devices Removed / Cylindrical Lock and Flushbolts Added per 7/11 Approval

Mortise Cylinder Housing not needed with Cylindrical Lock and has been Removed. Please Advise this is Acceptable.

Door Contact by Others per Hardware Spec Dated 4/1/2024

Heading #02A (Set #02A)

1 Single Door #D16 Drop-Off Entry 102 from Closet 102A 90° LHR

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Overhead Door Holder	904H	US15	GL

Note: Hinges by Prehung Door Manufacturer

Heading #02A.1 (Set #02A)

1 Single Door #D26 Meeting Room 116 from Jan/Supplies 112 90° LHR

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Overhead Door Holder	904H	US15	GL

Note: Hinges by Pre-Hung Door Manufacturer
Floor/Dome Stop Added per 7/11 Approvals

Heading #02A.2 (Set #02A)

1 Single Door #D18 Office 117 from Closet 90° LHR

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Overhead Door Holder	904H	US15	GL
1 Dome Stop	FS13	US26D	IV

Note: Hinges by Pre-Hung Door Manufacturer
Dome/Floor Stop added per 7/11 Approvals

Heading #02B (Set #02B)

1 Single Door #D09 Multi-Purpose 002 from Jan/Mech 003 LHR

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Overhead Door Holder	904H	US15	GL
1 Wall Stop	WS406/407CCV	US15	IV

Note: Hinges by Prehung Door Manufacturer
Overhead Holder added Per 7/11 Approvals

Heading #03 (Set #03)

1 Single Door #D10 Porch Lanai 001 to
Chemicals/St. 004 RH

Opening Description: 3' 0" x 7' 0" x 1¾" x HM x HM

3 Hinges	5BB1 4 1/2 x 4 1/2	619	IV
1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Door Closer	SC81A DS/HO Full Cover SC80-18PAFC	689	FL
1 Wall Stop	WS406/407CCV	US15	IV
1 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
1 Door Sweep	39A 36"		ZE
1 Threshold	8655A 36" 223-MSLA-10 V3		ZE

Note: Closer Changed to Closer with Stop and Hold Open to meet overhead holder requirement per 7/11 Approvals. Please Confirm this is Acceptable.

Heading #03A (Set #03A)

1 Single Door #D11 Porch Lanai 001 from Pump
Room 005 90° LHR

Opening Description: 3' 0" x 7' 0" x 1¾" x HM x HM

3 Hinges	5BB1 4 1/2 x 4 1/2 NRP	619	IV
1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Door Closer	SC81A DS/HO Full Cover SC80-18PAFC	689	FL
1 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
1 Door Sweep	39A 36"		ZE
1 Threshold	8655A 36" 223-MSLA-10 V3		ZE

Note: Closer with Hold Open Stop Added and Overhead Stop Removed per 7/11 Approval

Heading #03B (Set #03B)

1 Single Door #D04 Porch Lanai 109 to Overlook
108 RH

Opening Description: 3' 0" x 7' 2" WD x WF

3 Hinges	5BB1 4 1/2 x 4 1/2	619	IV
1 Lockset	W561HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Door Closer	SC81A RW/PA Full Cover	689	FL
Note: Mount Closer on Pull Side of Door Set Backcheck to Stop Door			
1 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
1 Door Sweep	39A 36"		ZE
1 Threshold	8655A 36" 223-MSLA-10 V3		ZE

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.
Confirm 1-3/4" Door Thickness.

Lakeside Point Amenities Center
364573

Heading #03C (Set #03C)

1 Single Door #D02	Terrace 106 from Kitchen Gathering 104	90° LHR
1 Single Door #D05	Porch Lanai 109 from Fitness-Yoga 110	90° RHR
1 Single Door #D07	Walk 115 from Meeting Room 116	90° LHR

Opening Description: 3' 0" x 7' 0" WD x WF

9 Hinges	5BB1 4 1/2 x 4 1/2 NRP	619	IV
3 Lockset	W581HD LAT G6	619	FL
3 Cylinder Core	C606	626	FL
3 Door Closer	SC81A DS Full Cover	689	FL
3 Dome Stop	FS13	US26D	IV
3 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
3 Door Sweep	39A 36"		ZE
3 Threshold	8655A 36" 223-MSLA-10 V3		ZE

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.

Confirm 1-3/4" Door Thickness

Closer mounting plate required if top rail is less than 4-3/8". Please Advise

Exit Device and Rim Cylinder Housing Removed / Lock and Floor Stop Added per 7/11 Approvals.

Door Contact by Division 26/28 per Hardware Specification Dated 4/1/2024

Heading #04 (Set #04)

1 Single Door #D12	Exterior Bath Hall 009 to Men 006	LH
1 Single Door #D13	Exterior Bath Hall 009 to Women 007	RH

Opening Description: 3' 0" x 7' 0" x 1 3/4" x HM x HM

6 Hinges	5BB1 4 1/2 x 4 1/2	619	IV
2 Deadbolt	D111H	626	FL
2 Cylinder Core	C606	626	FL
2 Door Pull	8103HD-0	US15	IV
2 Pull Plate	8300 4 x 16	US15	IV
2 Push Plate	8200 4 x 16	US15	IV
2 Door Closer	SC81A RW/PA Full Cover	689	FL
Note: Mount Closer on Pull Side of Door			
2 Wall Stop	WS406/407CCV	US15	IV
2 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
2 Door Sweep	39A 36"		ZE
2 Threshold	8655A 36" 223-MSLA-10 V3		ZE

Heading #05 (Set #05)

1 Single Door #D06 Walk 115 from 110 Fitness-Yoga LHR

Opening Description: 3' 0" x 7' 0" WD x WF

3 Hinges	5BB1 4 1/2 x 4 1/2 NRP	619	IV
1 Lockset	W581HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Electric Strike	6212WF 24VAC	US32D	VO
1 Door Closer	SC81A RW/PA Full Cover SC80-18PAFC	689	FL
Note: Mount Closer on Push Side of Door			
1 Wall Stop	WS406/407CCV	US15	IV
1 Wire Harness	CON-192P		SC
1 Weatherstrip	139A 1 x 36" 2 x 84"		ZE
1 Door Sweep	39A 36"		ZE
1 Threshold	8655A 36" 223-MSLA-10 V3		ZE
1 Door Closer	SC81A DS Full Cover	689	FL
1 Scanner	SCANII-B		LO

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.

Confirm 1-3/4" Door Thickness

Closer mounting plate required if top rail is less than 4-3/8". Please Advise

Exit Device, Cylinder Housing, Wall Stop and Electric Strike for Rim Exit Removed / Cylindrical Lock, Closer, Floor Stop, Electric Strike for Cylindrical Lock and Motion Sensor added per 7/11 Approvals.

Power Supply, Door Contact, and Card Reader by Others per Hardware Specification dated 4/1/2024

Heading #06 (Set #06)

1 Single Door #D24 Corridor 111 to Men ADA 114 LH

1 Single Door #D25 Corridor 111 to Women ADA 113 RH

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

2 Interconnected Lock	H2171 LAT 2 3/4-BS	619	FL
2 Door Closer	SC81A RW/PA Full Cover	689	FL
Note: Mount Closer on Pull Side of Door			
2 Wall Stop	WS406/407CCV	US15	IV
6 Door Silencer	SR65	GRAY	IV

Note: Hinges by Prehung Door Manufacturer

Heading #07 (Set #07)

1 Single Door #D03

Terrace 106 from Great
Room 105

90° LHR

Opening Description: 3' 0" x 7' 0" WD x WF

3 Hinges	5BB1 4 1/2 x 4 1/2 NRP		619	IV
1 Exit Device	25-R-L-NL x 510L LAT	LHR	US15	FL
1 Mortise Cylinder Housing	C987 -6 CCA		619	FL
1 Cylinder Core	C606		626	FL
1 Door Closer	SC81A DS Full Cover		689	FL
Note: Mount Closer on Push Side of Door				
1 Weatherstrip	139A 1 x 36" 2 x 84"			ZE
1 Door Sweep	39A 36"			ZE
1 Threshold	8655A 36" 223-MSLA-10 V3			ZE

Note: Hardware Provided for Door and Frame by Others. Coordination Required for Correct Hardware Prep Locations.

Confirm 1-3/4" Door Thickness

Closer mounting plate required if top rail is less than 4-3/8". Please Advise

Scheduled Hardware Reflects Hardware Specified in set on Sheet A601 of the Drawings.

Exit Device specified on Sheet A601 requires a Mortise Cylinder (not a Rim Cylinder).

Confirmed Door contact by others Per 7/11 Approvals

Heading #08 (Set #08)

1 Single Door #D23

Great Room 105 to Corridor
111

LH

Opening Description: 3' 0" x 7' 0" x 1 3/8" x Prehung Wood Door

1 Lockset	W581HD LAT G6		619	FL
1 Cylinder Core	C606		626	FL
1 Electric Strike	5000C 12-24VAC/VDC		630	HS
1 Door Closer	SC81A RW/PA Full Cover		689	FL
Note: Mount Closer on Push Side of Door				
1 Wall Stop	WS406/407CCV		US15	IV
1 Wire Harness	CON-192P			SC
3 Door Silencer	SR65		GRAY	IV

Note: Hinges by Prehung Door Manufacturer

6212 Electric Strike Specified per Sheet A601 does not fit into a 1-3/8" door. HES 5000C scheduled to accommodate electric strike specifications and fit into provided 1 3/8" door.

Heading #09 (Set #09)

1 Single Door #D22 Corridor 111 to Fitness-Yoga 90° LH
110

Opening Description: 3' 0" x 7' 0" x 1 3/8" x Prehung Wood Door

1	Passage Set	W101S LAT	619	FL
1	Door Closer	SC81A DS Full Cover SC80-18PAFC	689	FL
3	Door Silencer	SR65	GRAY	IV

Note: Hinges by Prehung Door Manufacturer

Heading #10 (Set #10)

1 Single Door #D17 Drop-Off Entry 102 to Office 90° RH
117

Opening Description: 3' 0" x 6' 8" x 1 3/8" x Prehung Wood Door

1	Lockset	W511HD LAT G6	619	FL
1	Cylinder Core	C606	626	FL
1	Overhead Stop	904S	US15	GL
3	Door Silencer	SR65	GRAY	IV

Note: Hinges by Prehung Door Manufacturer

Heading #11 (Set #11)

1 Single Door #D14 Drop-Off Entry 102 to 90° LH
Kitchen 103

Opening Description: 3' 0" x 7' 0" x 1 3/8" x Prehung Wood Door

1	Lockset	W561HD LAT G6	619	FL
1	Cylinder Core	C606	626	FL
1	Door Closer	SC81A RW/PA Full Cover SC80-18PAFC	689	FL
1	Overhead Stop	904S	US15	GL
3	Door Silencer	SR65	GRAY	IV

Note: Hinge by Prehung Door Manufacturer

Heading #11.1 (Set #11)

1 Single Door #D21 Great Room 105 to Fitness- 90° LH
Yoga 110

Opening Description: 3' 0" x 7' 0" x 1 3/8" x Prehung Wood Door

1	Lockset	W561HD LAT G6	619	FL
1	Cylinder Core	C606	626	FL
1	Door Closer	SC81A RW/PA Full Cover SC80-18PAFC	689	FL
1	Overhead Stop	904S	US15	GL
3	Door Silencer	SR65	GRAY	IV

Note: Hinges by Pre-Hung Door Manufacturer

Heading #11A (Set #11A)

1 Single Door #D15 Kitchen Gathering 104 from Kitchen 103 90° RHR

Opening Description: 3' 0" x 7' 0" x 1 3/8" x Prehung Wood Door

1 Lockset	W561HD LAT G6	619	FL
1 Cylinder Core	C606	626	FL
1 Door Closer	SC81A DS/HO Full Cover SC80-18PAFC	689	FL
1 Wall Stop	WS406/407CCV	US15	IV
3 Door Silencer	SR65	GRAY	IV

Note: Hinges by Prehung Door Manufacturer

Heading #12 (Set #12)

1 Pair Pocket #D19 Kitchen Gathering 104 POCKET
to/from Meeting Room 116

1 Pair Pocket #D20 Kitchen Gathering 104 POCKET
to/from Meeting Room 116

Opening Description: 2 - 2' 8" x 7' 0" x Prehung Wood Doors

4 Pocket Door Hardware	153070SC		VA01
2 CONVERGING POCKET DOOR KIT	1555PPK3		VA01
4 Flush Pull	S2002B	US15	VA01
4 Accurate Door Pull	2000	US15	VA01